Contents

Letters to the Editor		Gravitational instability in a coasting universe	
Far UV nonlinear rise extinction in relation to CH and CH ⁺ abundances Jenniskens, P., Ehrenfreund, P., Désert, FX.	L1	Lemons, D.S., Peter, W. Truncated photoionized autogravitating clouds at high redshift	373
Interrupted mass loss on the asymptotic giant branch Zijlstra, A.A., Loup, C., Waters, L.B.F.M., de Jong, T.	L5	Petitjean, P., Bergeron, J., Puget, J.L.	375
Gravitationally lensed arcs in two X-ray selected clusters of galaxies at $z\!=\!0.426$ and $z\!=\!0.583$		Extragalactic astronomy	
Luppino, G.A., Gioia, I.M. A fast simulation method for particle acceleration Achterberg, A., Krülls, W.M.	L9 L13	Tailed radio sources as probes of the intergalactic medium pressure Feretti, L., Perola, G.C., Fanti, R.	9
Helium enrichment in massive early type stars Langer, N.	L17	Star formation and molecular clouds in blue compact galaxies	
Eclipses of Iapetus in 1993 Sôma, M.	L21	Sage, L.J., Salzer, J.J., Loose, HH., Henkel, C. Photometry of the spiral pair NGC 450/UGC 807 and the	19
On the disappearance of the broad emission component of $H\beta$ of NGC 5548 in May 1992		optical thickness of galactic disks Andredakis, Y.C., van der Kruit, P.C.	396
Iijima, T., Rafanelli, P., Bianchini, A. IRAS 10214+4724: an elliptical galaxy in formation?	L25	Deducing a molecular ring structure in the nucleus of NGC 4945 from CO line profiles Bergman, P., Aalto, S., Black, J.H., Rydbeck, G.	403
Elbaz, D., Arnaud, M., Cassé, M., Mirabel, I.F., Prantzos, N., Vangioni-Flam, E.	L29	(RN) First X-ray spectrum of the most luminous quasar PKS 2126-158	
Possible mechanism of pulsar radio emission Lyubarskii, Y.E.	L33	Ghosh, K.K., Soundararajaperumal, S.	413
BI Crucis: a post-PN nebula? Schwarz, H.E., Corradi, R.L.M.	L37	Faraday effects in the spiral galaxy M 51 Horellou, C., Beck, R., Berkhuijsen, E.M., Krause, M., Klein, U.	417
ROSAT survey observations of OB and OBe stars Meurs, E.J.A., Piters, A.J.M., Pols, O.R., Waters, L.B.F.M., Coté, J., Van Kerkwijk, M.H., van Paradijs, J., Burki, G., Taylor, A.R.,	L41	CO emission from radio quiet quasars: new detections support a thermal origin for the FIR emission Alloin, D., Barvainis, R., Gordon, M.A., Antonucci, R.R.J.	429
de Martino, D. On the long-term periodicities in Be stars Papaloizou, J.C., Savonije, G.J., Henrichs, H.F.	L41	CO observations in NGC 604. I. Physical properties Viallefond, F., Boulanger, F., Cox, P., Lequeux, J., Pérault, M., Vogel, S.N.	437
First observations of young bipolar outflows with the IRAM interferometer: 2" resolution SiO images of the molecular jet in L 1448 Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R.		A multi-line study of the molecular interstellar medium in M 82's starburst nucleus Wild, W., Harris, A.I., Eckart, A., Genzel, R., Graf, U.U., Jackson, J.M., Russell, A.P.G., Stutzki, J.	447
		Chemo-dynamical evolution of massive spherical galaxies Theis, C., Burkert, A., Hensler, G.	465
Cosmology		Related stellar, ionized gas and radio properties of the el-	
Two theorems in multiple deflection gravitational lens theory Seitz, S., Schneider, P.	1	liptical galaxies NGC 4782/4783 = 3C 278. Velocity mapping of interacting galaxies Madejsky, R.	478

Molecular-line emission from the centres of Centaurus A and other southern galaxies Israel, F.P.	487	Coordinated X-ray and optical observations of Scorpius X-1 Augusteijn, T., Karatasos, K., Papadakis, M.,	
Galactic structure and dynamics		Paterakis, G., Kikuchi, S., Brosch, N., Leibowitz, E., Hertz, P., Mitsuda, K., Dotani, T., Lewin, W.H.G.,	
The radial structure of the galactic disc		van der Klis, M., van Paradijs, J.	177
Robin, A.C., Crézé, M., Mohan, V. Derivation of the age-metallicity relation and initial mass function of stars in the solar neighbourhood	32	Luminosities of yellow supergiants from near-infrared spectra; calibration through Magellanic Cloud stars Mantegazza, L.	527
Rana, N.C., Basu, S.	499	Accurate angular diameter and effective temperature of	001
Stellar clusters and associations		seven late-type stars Richichi, A., Di Giacomo, A., Lisi, F., Calamai, G.	535
The metal-rich globular cluster NGC 6553: clump mor-		Long-term stability of the light curves of CQ Ursae Ma-	333
phology and age Demarque, P., Lee, YW.	40	joris	- 1-
(RN) Multiple stars and the velocity dispersion measurements inside galactic globular clusters Zaggia, S.R., Capaccioli, M., Piotto, G.	43	Jetsu, L., Kokko, M., Tuominen, I. Studies of Cepheid-type variability. X. κ-effect-functions for period ratios	547
A cluster of infrared sources towards M 16	45	Petersen, J.O.	555
Chini, R., Krügel, E., Wargau, W.F.	45	The WO stars. I. Helium in the optical spectrum of Sand 4	
The stellar content of the Large Magellanic Cloud H II region N 59 A		Polcaro, V.F., Viotti, R., Rossi, C., Norci, L.	563
Armand, C., Deharveng, L., Caplan, J.	504	Models of white dwarfs with high magnetic fields Jordan, S.	570
Investigation of the Pleiades cluster. II. Binary stars in the F5-K0 spectral region Mermilliod, JC., Rosvick, J.M., Duquennoy, A.,		Star formation in the Vela molecular clouds. I. The IRAS-bright Class I sources	
Mayor, M.	513	Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A.	577
Two BV and GR CCD stellar sequences in the galactic open clusters Haffner 18ab and 19 Labhardt, L., Spaenhauer, A., Schwengeler, H.	869	Studies of late-type binaries. V. The orbit and physical parameters of V 1073 Cygni Ahn, Y.S., Hill, G., Khalesseh, B.	597
		Ann, 1.3., Itm, O., Andressen, D.	371
Formation, structure and evolution of stars		The continuum radiation of the symbiotic star AG Draco-	
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars		The continuum radiation of the symbiotic star AG Draconis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L.	605
New constraints on the rotation-induced mixing in stars,	55	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Au-	605
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants	55 65	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L.	605
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars		nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae	
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R.		nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass	
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE	65	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres	
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids	65 71 77	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds	613
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids Ruffert, M.	65 71 77	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P.	613 168 183
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids	65 71 77	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P. The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes	613 168 183
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids Ruffert, M. The solar tachocline Spiegel, E.A., Zahn, JP. Circulation and turbulence in rotating stars	65 71 77 82 106	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P. The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes David, P., Papoular, R.	613 168 183
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids Ruffert, M. The solar tachocline Spiegel, E.A., Zahn, JP. Circulation and turbulence in rotating stars Zahn, JP. Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations	65 71 77 82 106 115	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P. The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes	613 168 183
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids Ruffert, M. The solar tachocline Spiegel, E.A., Zahn, JP. Circulation and turbulence in rotating stars Zahn, JP. Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations Larsson, S. Emission-line stars in L 1641	65 71 77 82 106 115	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P. The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes David, P., Papoular, R. Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales Höfner, S., Dorfi, E.A. The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation	613 168 183 199 207
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids Ruffert, M. The solar tachocline Spiegel, E.A., Zahn, JP. Circulation and turbulence in rotating stars Zahn, JP. Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations Larsson, S. Emission-line stars in L 1641 Wouterloot, J.G.A., Brand, J.	65 71 77 82 106 115	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P. The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes David, P., Papoular, R. Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales Höfner, S., Dorfi, E.A. The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation Goeres, A., Sedlmayr, E.	613 168 183 195 207
New constraints on the rotation-induced mixing in stars, from lithium observations in main sequence F-type stars and subgiants Charbonnel, C., Vauclair, S. Orbital evolution of binaries with ultra-rapid pulsars Ergma, E., Fedorova, A.V. The 1990 outburst of the recurrent nova V 3890 Sgr observed with IUE González-Riestra, R. Quasi-periodic oscillations in TT Arietis Hollander, A., van Paradijs, J. Collisions between a white dwarf and a main-sequence star. II. Simulations using multiple-nested refined grids Ruffert, M. The solar tachocline Spiegel, E.A., Zahn, JP. Circulation and turbulence in rotating stars Zahn, JP. Rapid optical variability in the AM Herculis object V 834 Centauri. I. Quasi-periodic oscillations Larsson, S. Emission-line stars in L 1641	65 71 77 82 106 115	nis in quiescence and during outbursts Leibowitz, E.M., Formiggini, L. Another look at the early-type eclipsing binary BF Aurigae Kallrath, J., Kämper, BC. Stellar atmospheres Radiative force on molecules and its possible role for mass loss in evolved AGB stars Jørgensen, U.G., Johnson, H.R. The applicability of the linearized theory of sound-wave driven winds Koninx, JP.M., Pijpers, F.P. The circumstellar silicate dust as seen by IRAS. II. Evolution of circumstellar envelopes David, P., Papoular, R. Dust formation in winds of long-period variables. II. Dust energetics, optical properties, chemistry, time scales Höfner, S., Dorfi, E.A. The envelopes of R Coronae Borealis stars. I. A physical model of the decline events due to dust formation	613 168 183 195 207 216

(RN) Possible detection of Lyman α emission in the A7 III star γ Bootis Marilli, E., Catalano, S., Freire Ferrero, R.,		The formation of helioseismology lines. II. Modeling of alkali resonance lines with granulation Bruls, J.H.M.J., Rutten, R.J.	257
Gouttebroze, P. Non-LTE line formation for iron group elements. I. Fev Becker, S.R., Butler, K.	643	The formation of helioseismology lines. III. Partial redistribution effects in weak solar resonance lines <i>Uitenbroek, H., Bruls, J.H.M.J.</i>	268
Unified NLTE model atmospheres including spherical extension and stellar winds. III. The EUV fluxes of hot massive stars and HeII emission in extragalactic giant HII regions		Inference of non-thermal electron energy distributions from hard X-ray spectra Thompson, A.M., Brown, J.C., Craig, I.J.D., Fulber, C.	278
Gabler, R., Gabler, A., Kudritzki, R.P., Méndez, R.H. Derivation of episodic mass loss functions for hot stars from polarimetric and absorption line data	656	Estimating the Sun's rotation from solar oscillations by regularisation Thompson, A.M.	289
Brown, J.C., Wood, K. Circularly polarized spectroscopic observations of RS CVn systems	663	Magnetic shear-based removal of the 180° ambiguity in the observed transverse photospheric magnetic field: feasibility and limitations	
Donati, JF., Semel, M., Rees, D.E.	669	Cuperman, S., Li, J., Semel, M.	296
Photospheric imaging of the RS CVn system HR 1099 Donati, JF., Brown, S.F., Semel, M., Rees, D.E.,		On the solar p-mode spectrum excited by convection Gabriel, M.	771
Dempsey, R.C., Matthews, J.M., Henry, G.W., Hall, D.S. (RN) On the choice of chromospheric activity indices for	682	Influence of non-thermal broadening on the He 3889/H ₈ emission ratio in prominence fine-structures Stellmacher, G., Wiehr, E., Grupe, D.	781
lower main-sequence stars Teplitskaya, R.B.	701	Towards a consistent treatment of thermally conductive magnetohydrodynamic flows in helmet-streamer coronal	,01
The calibration of Strömgren photometry for A, F and early G supergiants. III. The A and early F supergiants <i>Grav. R.O.</i>	704	Structures Cuperman, S., Detman, T.R., Bruma, C., Dryer, M.	785
 K I/Na I scattering observations in circumstellar envelopes: α¹ Herculis, o Ceti, TX Piscium and β Pegasi Mauron, N., Caux, E. 	711	Extended massive current sheet in a two-dimensional constant-α force-free field: a model for quiescent prominences. II. Existence and properties of inverse configurations <i>Amari</i> , <i>T.</i> , <i>Aly</i> , <i>J.J.</i>	791
		The solar system	
Diffuse matter in space (including HII regions and planetary nebulae)		Mutual perturbations of the four outer planets in terms of	
Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources		only one angular variable (Text in French) Simon, J.L., Joutel, F., Bretagnon, P.	308
Zinnecker, H., Bastien, P., Arcoragi, JP., Yorke, H.W. Carbon monoxide and far-infrared observations of the	726	A theoretical dynamical limit of planet X's mass based on its perturbations on Uranus and Neptune Brunini, A.	324
S 155-Cepheus B region Minchin, N.R., Ward-Thompson, D., White, G.J.	733	Heliospheric interface modifications of interstellar neutral hydrogen compatible with Lyman α glow observations	
Dust emission from star-forming regions. III. The Rho		Quémerais, E., Lallement, R., Bertaux, J.L.	806
Ophiuchus cloud – where are the low-mass protostars? Mezger, P.G., Sievers, A., Zylka, R., Haslam, C.G.T., Kreysa, E., Lemke, R.	743	A dust-tail model based on Maxwellian velocity distribu- tion Fulle, M.	817
Bilateral symmetry in the supernova remnant G 296.5+	145	Celestial mechanics and astrometry	017
10.0		A synthetic theory for the perturbations of Titan on Hy-	
Storey, M.C., Staveley-Smith, L., Manchester, R.N., Kesteven, M.J.	752	perion Taylor, D.B.	825
Ultraviolet and optical spectra of central stars of halo planetary nebulae Peña, M., Torres-Peimbert, S., Ruiz, M.T.	757	Why new time scales? Seidelmann, P.K., Fukushima, T.	833
Apparent alignment of stellar outflows due to selective ex-		Physical and chemical processes	
tinction Raga, A.C.	767	Stratification and thermodynamics in mean-field dyna- mos	
The Sun		Brandenburg, A., Moss, D., Tuominen, I.	328
The formation of helioseismology lines. I. NLTE effects in alkali spectra		Fermion angular distribution and maximum entropy Ed- dington factors	
Bruls, J.H.M.J., Rutten, R.J., Shchukina, N.G.	237	Janka, HT., Dgani, R., van den Horn, L.J.	345

857
859
a
360
370
5

